

Capraia

80X80 - 80X160 - 60X120 / 32"X32" - 32"X64" - 24"X48"



CAPRAIA BIANCO POL. RECT.
80 X 160 / 32" X 64"



P46/M
CAPRAIA BIANCO POL. RECT.
80 X 80 / 32" X 32"



P45/M

CAPRAIA BIANCO POL RECT
60 X 120 / 24" X 48" P43/M

VARIACIÓN DE DISEÑO · GRAPHIC FACES · VARIATION GRAPHIQUE · FARBSTEMPEL



80X160 - 6 PIEZAS/6 PIECES/6 PIÈCES
80X80 - 12 PIEZAS/12 PIECES/12 PIÈCES



CAPRAIA BIANCO POL. RECT. 80X160. CAPRAIA BIANCO POL. RECT. 80X80.

CARACTERÍSTICAS TÉCNICAS · TECHNICAL CHARACTERISTICS · CARACTÉRISTIQUES TECHNIQUES · TECHNISCHE EIGENSCHAFTEN


- P** PORCELÁNICO/PORCELAIN TILES
GRÈS CERÁME/FEINSTEINZEUG
- *** PULIDO BRILLO/SHINE POLISHED
POLI BRILLANT/HOCHGLANZ POLIERT
- ▬** RECTIFICADO/RECTIFIED
RECTIFIÉ/KALIBRIERT

- V2** VARIACION LEVE/SLIGHT VARIATION
LÉGERÉ VARIATION/LEICHT FARBSPIEL
- ⊕** ESPESOR/THICKNESS/ÉPAISSEUR/EMPFOHLENE FUGENBREITE:
9,5mm/0,37"

FORMATO SIZE FORMAT VERPACKUNG	PZS/CAJA TILES/BOX PIÈCES/BOITE STK/BOX	M ² /CAJA SQM/BOX MÈTRES/BOITE M ² /BOX	Kg/CAJA Kg/BOX Kg/BOITE Kg/BOX	CAJAS/PALLET BOXES/PALLET BOITES/PALETTE BOX/PALLET	M ² /PALLET SQM/PALLET MÈTRES/PALETTE M ² /PALLET	Kg/PALLET Kg/PALLET MÈTRES/PALETTE Kg/PALLET
80X160	1	1.28	30.73	40	51.20	1229
80X80	2	1.28	29.21	42	53.76	1227
60X120	2	1.44	31.47	32	46.08	1007

CAPRAIA BIANCO POL. RECT.

80X160



REFERENCE	SIZE (cm)	THICKNESS (mm)	GROUP
A035942	80X160	10,00	

DIMENSIONS AND SURFACE PROPERTIES

Size, thickness, side straightness, flatness, orthogonality	UNE-EN 14411	It accomplished all requirements
---	--------------	----------------------------------

PHYSICAL PROPERTIES


Water absorption capacity	EN ISO 10545-03	< 0,5%
Flexion resistance	EN ISO 10545-04	=> 50 N/mm ²
Abrasion resistance (glazed Ceramic)	EN ISO10545-07	IV
Thermal shock resistance	EN ISO 10545-09	It stands the test
Cracking resistance	EN ISO 10545-11	It stands the test
Frost resistance	EN ISO 10545-12	It stands the test

CHEMICAL PROPERTIES

Resistance to acids	EN ISO 10545-13	GLA
Resistance to alcalis	EN ISO 10545-13	GHB
Resistance to cleaning products	EN ISO 10545-13	GA
Resistance to chemical products in swimming pool water	EN ISO 10545-13	GA
Stains resistance	EN ISO 10545-14	5

CAPRAIA BIANCO POL. RECT. 80X80

REFERENCE	SIZE (cm)	THICKNESS (mm)	GROUP
A035966	80x80	10,50	



DIMENSIONS AND SURFACE PROPERTIES

Size, thickness, side straightness, flatness, orthogonality	UNE-EN 14411	It accomplished all requirements
---	--------------	----------------------------------

PHYSICAL PROPERTIES


Water absorption capacity	EN ISO 10545-03	< 0,5%
Flexion resistance	EN ISO 10545-04	=> 50 N/mm ²
Abrasion resistance (glazed Ceramic)	EN ISO10545-07	IV
Thermal shock resistance	EN ISO 10545-09	It stands the test
Cracking resistance	EN ISO 10545-11	It stands the test
Frost resistance	EN ISO 10545-12	It stands the test

CHEMICAL PROPERTIES

Resistance to acids	EN ISO 10545-13	GHA
Resistance to alcalis	EN ISO 10545-13	GHB
Resistance to cleaning products	EN ISO 10545-13	GA
Resistance to chemical products in swimming pool water	EN ISO 10545-13	GA
Stains resistance	EN ISO 10545-14	5

CAPRAIA BIANCO POL RECT 60X120

REFERENCE	SIZE (cm)	THICKNESS (mm)	GROUP
A036794	60x120	0,00	



DIMENSIONS AND SURFACE PROPERTIES

Size, thickness, side straightness, flatness, orthogonality	UNE-EN 14411	It accomplished all requirements
---	--------------	----------------------------------

PHYSICAL PROPERTIES

Water absorption capacity	EN ISO 10545-03	< 0,5%
Flexion resistance	EN ISO 10545-04	=> 50 N/mm ²
Abrasion resistance (glazed Ceramic)	EN ISO10545-07	IV
Thermal shock resistance	EN ISO 10545-09	It stands the test
Cracking resistance	EN ISO 10545-11	It stands the test
Frost resistance	EN ISO 10545-12	It stands the test

CHEMICAL PROPERTIES

Resistance to acids	EN ISO 10545-13	GHA
Resistance to alcalis	EN ISO 10545-13	GHA
Resistance to cleaning products	EN ISO 10545-13	GA
Resistance to chemical products in swimming pool water	EN ISO 10545-13	GA
Stains resistance	EN ISO 10545-14	5

ROD. CAPRAIA BIANCO MATT

7,5X60

REFERENCE	SIZE (cm)	THICKNESS (mm)	GROUP
A038385	7,5x60	0,00	



DIMENSIONS AND SURFACE PROPERTIES

Size, thickness, side straightness, flatness, orthogonality	UNE-EN 14411	It accomplished all requirements
---	--------------	----------------------------------

PHYSICAL PROPERTIES

Water absorption capacity	EN ISO 10545-03	< 0,5%
Flexion resistance	EN ISO 10545-04	=> 50 N/mm ²
Thermal shock resistance	EN ISO 10545-09	It stands the test
Cracking resistance	EN ISO 10545-11	It stands the test
Frost resistance	EN ISO 10545-12	It stands the test

CHEMICAL PROPERTIES

Resistance to acids	EN ISO 10545-13	GHA
Resistance to alcalis	EN ISO 10545-13	GHB
Resistance to cleaning products	EN ISO 10545-13	GA
Resistance to chemical products in swimming pool water	EN ISO 10545-13	GA
Stains resistance	EN ISO 10545-14	5

ROD. CAPRAIA BIANCO POL 7,5X80

REFERENCE	SIZE (cm)	THICKNESS (mm)	GROUP
A038384	7,5X80	0,00	



DIMENSIONS AND SURFACE PROPERTIES

Size, thickness, side straightness, flatness, orthogonality	UNE-EN 14411	It accomplished all requirements
---	--------------	----------------------------------

PHYSICAL PROPERTIES

Water absorption capacity	EN ISO 10545-03	< 0,5%
Flexion resistance	EN ISO 10545-04	=> 50 N/mm ²
Thermal shock resistance	EN ISO 10545-09	It stands the test
Cracking resistance	EN ISO 10545-11	It stands the test
Frost resistance	EN ISO 10545-12	It stands the test

CHEMICAL PROPERTIES

Resistance to acids	EN ISO 10545-13	GHA
Resistance to alcalis	EN ISO 10545-13	GHB
Resistance to cleaning products	EN ISO 10545-13	GA
Resistance to chemical products in swimming pool water	EN ISO 10545-13	GA
Stains resistance	EN ISO 10545-14	5