# INFINITIVE

# BATHTUB IN NOVOTECH - INSIDE WHITE MATT, OUTSIDE CUSTOMISABLE. UNIT COMBINED WITH TOP IN NOVOTECH WHITE MATT AND CUSTOMISABLE COLOUR.

Dimensions		Capacity	Furniture installation	Code		l bathtub iish			Furnit	ure finish		
Cm	Н	lt.								Wood finis	h	
				ı	Matt White	Colour choice	Matt White	White wood	Grain	Burlington	Wenge	Colour choice
STANDA	RD											
					U	<b>*</b>	U	I	M	N	V	<b>*</b>
170 x 75	70	360	-	INF1170750-			-	-	-	-	-	-
STANDAR	STANDARD - FURNITURE WITH MIXER											
					U	<b>*</b>	U	I	M	N	V	<b>*</b>
170 x 75	70	360	freestanding	INF1170752CS-								
170 x 75	70	360	centre of wall	INF1170752CP-								
170 x 75	70	360	right corner	INF1170752AD-								
170 x 75	70	360	left corner	INF1170752AS-								
NATURAL AIR - FURNITURE WITH MIXER- FURNITURE WITH UNIT AND MIXER												
					U	<b>*</b>	U	I	M	N	V	<b>*</b>
170 x 75	70	360	freestanding	INFN1707502CS-								
170 x 75	70	360	centre of wall	INFN1707502CP-								
170 x 75	70	360	right corner	INFN1707502AD-								
170 x 75	70	360	left corner	INFN1707502AS-								

OPTIONAL: EXTERNAL LED LIGHT AND FLOOR-STANDING TAP, SEE PAGE 456









#### **BATHTUB UNIT: TECHNOLOGY AND AESTHETIC APPEAL**

The unit is the ideal pratical addition to the bathtub. Fitted with a simple and functional tap design, it houses all the technological elements. A variety of finishes can be chosen or colour to match the bathtub.



#### NATURAL AIR: SILENCE, PLEASURE AND BLISS

Natural Air technology, 100% Made in Italy, certified and guaranteed by Novellini, will transform your bath-time into a silent sanctuary where your body and mind are immersed in a state of total relaxation.



# FUNCTIONS AND FEATURES (available according to the equipment)



Natural air



Internal white Led light



Taps and fittings on side of bathtub



Drainage system with click-clack plug.

BATHTUB WITH INTEGRATED OVERFLOW COMPLIANT WITH CURRENT REGULATIONS

OPTIONAL INFINITIVE-SHIP



## FLOOR-STANDING TAP

Finish	Code	Price
Chrome	RUBPVASRSN-K	
Matt Black	RUBPVASRSN-H	



## LOWER PERIMETER LED KIT FOR INFINITIVE BATHTUB

Code	Price
KLINF	


## LOWER PERIMETER LED KIT FOR SHIP BATHTUB


Dimensions (cm)	Code	Price
150	KLSHI150	
160	KLSHI160	





## TAPS AND FITTINGS ON SIDE OF BATHTUB FOR UNIT


Finish	Code	Price
Matt Black	RUBBVASRSN-H	



































Model	Weight	Capacity litres			
Infinitive	135 kg	360 lt			







### HYDRAULIC CHARACTERISTIC

1 Natural Air jets Siphon connection 40 mm

#### **ELECTRICAL CHARACTERISTIC**

Tension: 220-230 V Frequency: 50 Hz Maximum power consumption: Natural Air: 1050 W Install a 30mA differential switch upstream of the appliance with a multiple-pole switch with a minimum contact opening  $\geqslant 3$  mm.