

KUADRA 2.0 2AH



SHOWER DOOR, 2 SLIDING DOORS + 2 FIXED PANELS
 OR COMBINED WITH THE OPTIONAL SIDE PANEL KUADRA 2.0 F SHOWN ON PAGE 28

| Dimensions | | | | Code | Glass | Profile | |
|------------------|-------------|--------------|--------|------------------|----------|----------|------------|
| Shower tray Size | Actual size | Fixed panels | Access | | | K | H |
| | A | F1 | * | | 1 | K | H |
| | | | | | Clear | Chrome | Matt Black |
| 140 | 137↔141 | 33 | 56 | K22AH137- | | | |
| 150 | 147↔151 | 36,5 | 60 | K22AH147- | | | |
| 160 | 157↔161 | 38,5 | 66 | K22AH157- | | | |
| 170 | 167↔171 | 41,5 | 70 | K22AH167- | | | |
| 180 | 177↔181 | 43,5 | 76 | K22AH177- | | | |
| 190 | 187↔191 | 46,5 | 80 | K22AH187- | | | |
| 200 | 197↔201 | 48,5 | 86 | K22AH197- | | | |

TECHNICAL DATA

PROFILE COLOURS




Chrome code K Matt Black code H


GLASS TYPE 6 mm (European Standards UNI EN 14428)



Clear cod. 1




OVERALL DIMENSIONS FIXING PROFILES




STANDARD PROFILE

| Altezza | Finitura | Codice |
|---------|----------|--------------------|
| 200 | Nero | P01BWMOST-H |
| | Cromo | P01BWMOST-K |

HOW TO TAKE THE MEASUREMENTS



Take the measurements from wall to the external edge of the shower tray. Dimensions must be taken once the walls are finished and tiled, according to the above drawings.



Take the measurements from wall to wall at the bottom, at the top, in the middle and use the smallest. Dimensions must be taken once the walls are finished and tiled, according to the above drawings.

IN STOCK UK
 (Other products) please check availability

Construction of the Code: **Code** + **Glass** + **Profile** = Final product Code

KUADRA 2.0 2PH



SHOWER DOOR, 1 SLIDING DOOR + 1 FIXED PANEL IN LINE
 OR COMBINED WITH THE OPTIONAL SIDE PANEL KUADRA 2.0 F SHOWN ON PAGE 28

| Dimensions | | | | Code | Right | Left | Glass | Profile | | |
|------------------|-------------|--------------|--------|-----------------|-------|------|-------|---------|--------|------------|
| Shower tray Size | Actual size | Fixed panels | Access | | | | | D- | S- | K |
| | A | F1 | * | | | | 1 | Clear | Chrome | Matt Black |
| 100 | 97↔101 | 47 | 40 | K22PH97 | D- | S- | | ● | | |
| 110 | 107↔111 | 52 | 45 | K22PH107 | D- | S- | | ● | | |
| 120 | 117↔121 | 57 | 50 | K22PH117 | D- | S- | | ● | | |
| 130 | 127↔131 | 62 | 55 | K22PH127 | D- | S- | | ● | | |
| 140 | 137↔141 | 67 | 60 | K22PH137 | D- | S- | | ● | | |
| 150 | 147↔151 | 72 | 65 | K22PH147 | D- | S- | | ● | | |
| 160 | 157↔161 | 77 | 70 | K22PH157 | D- | S- | | ● | | |
| 170 | 167↔171 | 82 | 75 | K22PH167 | D- | S- | | ● | | |
| 180 | 177↔181 | 87 | 80 | K22PH177 | D- | S- | | ● | | |
| - | 187↔191 | 97 | 80 | K22PH187 | D- | S- | | ● | | |

TECHNICAL DATA

PROFILE COLOURS



Chrome
code K




Matt Black
code H


GLASS TYPE 6 mm (European Standards UNI EN 14428)



Clear
cod. 1




OVERALL DIMENSIONS FIXING PROFILES




STANDARD PROFILE

| Altezza | Finitura | Codice |
|---------|----------|--------------------|
| 200 | Nero | P01BWMOST-H |
| | Cromo | P01BWMOST-K |

HOW TO TAKE THE MEASUREMENTS



Take the measurements from wall to the external edge of the shower tray. Dimensions must be taken once the walls are finished and tiled, according to the above drawings.



Take the measurements from wall to wall at the bottom, at the top, in the middle and use the smallest. Dimensions must be taken once the walls are finished and tiled, according to the above drawings.

● IN STOCK UK
 (Other products) please check availability

018 Construction of the Code: **Code** + **Right / Left** + **Glass** + **Profile** = Final product Code

KUADRA 2.0 AH

SHOWER DOOR, 2 SLIDING DOORS + 2 FIXED PANELS



| Dimensions | | | | Code | Right | Left | Glass | Profile | |
|------------------|-------------|--------------|--------|-----------------|-------|------|-------|---------|------------|
| Shower tray Size | Actual size | Fixed panels | Access | | | | | K | H |
| | A | F1 | * | | D- | S- | 1 | K | H |
| | | | | | | | Clear | Chrome | Matt Black |
| 70 | 67↔69 | 31,5 | 36 | K2AH67L | D- | S- | | | |
| - | 69↔71 | 33,5 | 37,5 | K2AH69L | D- | S- | | | |
| 76 | 72↔74 | 34,5 | 40 | K2AH72L | D- | S- | | | |
| 76 | 74↔76 | 36 | 41,5 | K2AH74L | D- | S- | | | |
| 80 | 77↔79 | 36,5 | 44 | K2AH77L | D- | S- | ● | | |
| - | 79↔81 | 38,5 | 45,5 | K2AH79L | D- | S- | | | |
| 90 | 87↔89 | 41,5 | 50 | K2AH87L | D- | S- | ● | | |
| - | 89↔91 | 43,5 | 51,5 | K2AH89L | D- | S- | | | |
| 100 | 97↔99 | 46,5 | 57 | K2AH97L | D- | S- | ● | | |
| - | 99↔101 | 48,5 | 58,5 | K2AH99L | D- | S- | | | |
| 110 | 107↔109 | 51,5 | 64 | K2AH107L | D- | S- | | | |
| - | 109↔111 | 53,5 | 65,5 | K2AH109L | D- | S- | | | |
| 120 | 117↔119 | 56,6 | 71 | K2AH117L | D- | S- | | | |
| - | 119↔121 | 58,5 | 72,5 | K2AH119L | D- | S- | | | |

TECHNICAL DATA

PROFILE COLOURS



Chrome
code K



Matt Black
code H


GLASS TYPE 6 mm (European Standards UNI EN 14428)



Clear
cod. 1



TO COMPLETE A CORNER ENTRY, ORDER 2 SIDES (1 RIGHT + 1 LEFT)




● IN STOCK UK
(Other products) please check availability


020 Construction of the Code: **Code** + **Right / Left** + **Glass** + **Profile** = Final product Code

A
Installation on shower tray

G
Installation on floor




OVERALL DIMENSIONS FIXING PROFILES




STANDARD PROFILE

| Altezza | Finitura | Codice |
|---------|----------|--------------------|
| 200 | Nero | P01BWMOST-H |
| | Cromo | P01BWMOST-K |

HOW TO TAKE THE MEASUREMENTS



Take the measurements from wall to the external edge of the shower tray. Dimensions must be taken once the walls are finished and tiled, according to the above drawings.



Take the measurements from wall to wall at the bottom, at the top, in the middle and use the smallest. Dimensions must be taken once the walls are finished and tiled, according to the above drawings.

KUADRA 2.0 G+F IN LINE



SHOWER DOOR, 1 HINGED DOOR + 1 FIXED PANEL IN LINE
OR COMBINED WITH THE OPTIONAL SIDE PANEL KUADRA 2.0 F SHOWN ON PAGE 28

| Dimensions | | | | | Code | Glass | Profile | |
|------------------|-------------|--------------|--------|-----------------|------------------|-------|---------|------------|
| Shower tray Size | Actual size | Fixed panels | Access | Door projection | | 1 | K | H |
| | A | F1 | * | B | | Clear | Chrome | Matt Black |
| 100 | 97↔101 | 31 | 51 | 52 | K2GFL97- | ● | | |
| 110 | 107↔111 | 31 | 61 | 62 | K2GFL107- | ● | | |
| - | 113↔117 | 38 | 61 | 62 | K2GFL113- | | | |
| 120 | 117↔121 | 41 | 61 | 62 | K2GFL117- | ● | | |
| 130 | 127↔131 | 51 | 61 | 62 | K2GFL127- | ● | | |
| 140 | 137↔141 | 51 | 68 | 69 | K2GFL137- | ● | | |
| 150 | 147↔151 | 61 | 68 | 69 | K2GFL147- | | | |
| - | 153↔157 | 68 | 68 | 69 | K2GFL153- | | | |
| 160 | 157↔161 | 71 | 68 | 69 | K2GFL157- | | | |
| - | 163↔167 | 68 | 78 | 79 | K2GFL163- | | | |
| 170 | 167↔171 | 71 | 78 | 79 | K2GFL167- | | | |
| 180 | 177↔181 | 81 | 78 | 79 | K2GFL177- | | | |

DOOR AND PANEL REVERSIBLE

TECHNICAL DATA

PROFILE COLOURS




Chrome code K Matt Black code H

GLASS TYPE 6 mm (European Standards UNI EN 14428)




Clear cod. 1



● IN STOCK UK
(Other products) please check availability

Construction of the Code: **Code** + **Glass** + **Profile** = Final product Code


OVERALL DIMENSIONS FIXING PROFILES




STANDARD PROFILE

| Altezza | Finitura | Codice |
|---------|----------|--------------------|
| 200 | Nero | P01BWMOST-H |
| | Cromo | P01BWMOST-K |

HOW TO TAKE THE MEASUREMENTS



Take the measurements from wall to the external edge of the shower tray. Dimensions must be taken once the walls are finished and tiled, according to the above drawings.



Take the measurements from wall to wall at the bottom, at the top, in the middle and use the smallest. Dimensions must be taken once the walls are finished and tiled, according to the above drawings.

KUADRA 2.0 G



PIVOT SHOWER DOOR

OR COMBINED WITH THE OPTIONAL SIDE PANEL KUADRA 2.0 F SHOWN ON PAGE 28

| Dimensions | | | | Code | Glass | Profile | |
|------------------|-------------|--------|-----------------|---------------|-------|---------|------------|
| Shower tray Size | Actual size | Access | Door projection | | | K | H |
| | A | * | B | | Clear | Chrome | Matt Black |
| 70 | 67↔71 | 51 | 52 | K2G67- | ● | | |
| 76 | 72↔76 | 56 | 57 | K2G72- | ● | | |
| 80 | 77↔81 | 61 | 62 | K2G77- | ● | | |
| 90 | 87↔91 | 68 | 69 | K2G87- | ● | | |
| 100 | 97↔101 | 78 | 79 | K2G97- | ● | | |

TECHNICAL DATA

PROFILE COLOURS



Chrome
code K




Matt Black
code H

GLASS TYPE 6 mm (European Standards UNI EN 14428)



Clear
cod. 1




● **IN STOCK UK**

(Other products) please check availability

Construction of the Code: **Code** + **Glass** + **Profile** = Final product Code


OVERALL DIMENSIONS FIXING PROFILES




STANDARD PROFILE

| Altezza | Finitura | Codice |
|---------|----------|--------------------|
| 200 | Nero | P01BWMOST-H |
| | Cromo | P01BWMOST-K |

HOW TO TAKE THE MEASUREMENTS



Take the measurements from wall to the external edge of the shower tray. Dimensions must be taken once the walls are finished and tiled, according to the above drawings.



Take the measurements from wall to wall at the bottom, at the top, in the middle and use the smallest. Dimensions must be taken once the walls are finished and tiled, according to the above drawings.

KUADRA 2.0 PH+FH



CORNER SOLUTION, 1 SLIDING DOOR + 1 FIXED PANEL IN LINE AND 1 SIDE PANEL

| Dimensions | | | | Code | Right | Left | Glass | Profile | | |
|------------------------------|-------------|--------------|--------|----------|-------|------|-------|---------|------------|---|
| Shower tray Size | Actual size | Fixed panels | Access | | | | | D- | S- | 1 |
| | A | F1 | * | | | | Clear | Chrome | Matt Black | |
| DOOR | | | | | | | | | | |
| 110 | 107↔109 | 52 | 45 | K2PH107 | D- | S- | ● | | | |
| - | 109↔111 | 54 | 45 | K2PH109 | D- | S- | ● | | | |
| 120 | 117↔119 | 57 | 50 | K2PH117 | D- | S- | ● | | | |
| - | 119↔121 | 59 | 50 | K2PH119 | D- | S- | ● | | | |
| 130 | 127↔129 | 62 | 55 | K2PH127 | D- | S- | ● | | | |
| - | 129↔131 | 64 | 55 | K2PH129 | D- | S- | ● | | | |
| 140 | 137↔139 | 67 | 60 | K2PH137 | D- | S- | ● | | | |
| - | 139↔141 | 69 | 60 | K2PH139 | D- | S- | ● | | | |
| 150 | 147↔149 | 72 | 65 | K2PH147 | D- | S- | ● | | | |
| - | 149↔151 | 74 | 65 | K2PH149 | D- | S- | ● | | | |
| 160 | 157↔159 | 77 | 70 | K2PH157 | D- | S- | ● | | | |
| - | 159↔161 | 79 | 70 | K2PH159 | D- | S- | ● | | | |
| 170 | 167↔169 | 82 | 75 | K2PH167 | D- | S- | ● | | | |
| - | 169↔171 | 84 | 75 | K2PH169 | D- | S- | ● | | | |
| 180 | 177↔179 | 87 | 80 | K2PH177 | D- | S- | ● | | | |
| - | 179↔181 | 89 | 80 | K2PH179 | D- | S- | ● | | | |
| SIDE PANEL REVERSIBLE | | | | | | | | | | |
| | F | | | | | | | | | |
| 70 | 67↔69 | - | - | K2FH67- | - | - | ● | | | |
| - | 69↔71 | - | - | K2FH69- | - | - | ● | | | |
| - | 71↔73 | - | - | K2FH71- | - | - | ● | | | |
| 76 | 72↔74 | - | - | K2FH72- | - | - | ● | | | |
| 76 | 74↔76 | - | - | K2FH74- | - | - | ● | | | |
| - | 76↔78 | - | - | K2FH76- | - | - | ● | | | |
| 80 | 77↔79 | - | - | K2FH77- | - | - | ● | | | |
| - | 79↔81 | - | - | K2FH79- | - | - | ● | | | |
| - | 81↔83 | - | - | K2FH81- | - | - | ● | | | |
| - | 85↔87 | - | - | K2FH85- | - | - | ● | | | |
| 90 | 87↔89 | - | - | K2FH87- | - | - | ● | | | |
| - | 89↔91 | - | - | K2FH89- | - | - | ● | | | |
| - | 91↔93 | - | - | K2FH91- | - | - | ● | | | |
| - | 95↔97 | - | - | K2FH95- | - | - | ● | | | |
| 100 | 97↔99 | - | - | K2FH97- | - | - | ● | | | |
| - | 99↔101 | - | - | K2FH99- | - | - | ● | | | |
| - | 101↔103 | - | - | K2FH101- | - | - | ● | | | |
| - | 105↔107 | - | - | K2FH105- | - | - | ● | | | |
| 110 | 107↔109 | - | - | K2FH107- | - | - | ● | | | |
| - | 109↔111 | - | - | K2FH109- | - | - | ● | | | |
| - | 111↔113 | - | - | K2FH111- | - | - | ● | | | |
| - | 115↔117 | - | - | K2FH115- | - | - | ● | | | |
| 120 | 117↔119 | - | - | K2FH117- | - | - | ● | | | |
| - | 119↔121 | - | - | K2FH119- | - | - | ● | | | |
| - | 121↔123 | - | - | K2FH121- | - | - | ● | | | |

TECHNICAL DATA

PROFILE COLOURS




Chrome code K
ECO PVD CHROME
Matt Black code H

GLASS TYPE 6 mm (European Standards UNI EN 14428)



Clear cod. 1
+ CRYSTAL CLEAR


OVERALL DIMENSIONS FIXING PROFILES




STANDARD PROFILE

| Altezza | Finitura | Codice |
|---------|----------|-------------|
| 200 | Nero | P01BWMOST-H |
| | Cromo | P01BWMOST-K |



HOW TO TAKE THE MEASUREMENTS



Take the measurements from wall to the external edge of the shower tray. Dimensions must be taken once the walls are finished and tiled, according to the above drawings.



Take the measurements from wall to wall at the bottom, at the top, in the middle and use the smallest. Dimensions must be taken once the walls are finished and tiled, according to the above drawings.



A Installation on shower tray

G Installation on floor

● IN STOCK UK

(Other products) please check availability

Construction of the Code: **Code** + **Right / Left** + **Glass** + **Profile** = Final product Code